

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 7125-1496:170 Page 1 of 1

CATEGORY: Fire Alarm Devices for the Hearing Impaired

LISTEE: Firecom, Inc., 39-27 59th Street, Woodside, NY 11377
Contact: Howard Kogen (718) 899-6100 Fax (718) 899-1932

DESIGN: Model FNS-24MCW and FNS4-24MCW horn strobes. Model number may be followed by any two-alpha/numeric characters indicating lens, lettering and color. Units are synchronized or non-synchronized strobes. Refer to listee's data sheet for additional detailed product description and operational considerations.

RATING: Electrical: 10.5-31 VDC, -24MCW: 16-33 VDC
Candela: 15= 15cd, 1575= 15/75cd on axis, 30= 30cd, 75= 75cd,
110= 110cd (Wall)
FNS-24MCW, FNS4-24MCW: Selectable 15cd, 30cd, 75cd, 110cd
Flash rate: 60 Flashes/minute

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction. *All units are for wall mount only.

MARKING: Listee's name, model number, electrical/candela rating and UL label.

APPROVAL: Listed as audible and audible/visual signaling devices for use with separately listed electrically compatible fire alarm control units. Models with strobe lights are suitable for the hearing impaired. For indoor use only. All synchronization strobes shall be used with Models SM-12/24, SMX-12/24, DSM-12/24 or DSMX-12/24 Sync Control Module (CSFM Listing No. 7300-0785:132).

NOTE: These appliances can produce a distinctive three-pulse Temporal Pattern Fire Alarm Evacuation Signal (for total evacuation) in accordance with NFPA 72, 1999 Edition.

XLf: 7125-0785:142

04-02-01



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

JUNE 18, 2003

*Listing Expires **June 30, 2004***

Authorized By:

DIANE K. AREND, Senior Deputy
Program Manager